

**SAFETY DATA SHEET**

Number: 11-2-031-(1)-E

Date prepared: 2011 Apr 11

Date Revised: 2016 Mar 16

**1. Chemical Product and Company Identification**

Product code: -

Product name: Eugenol Cement Powder

Manufacturer/Supplier:

GC Corporation, 76-1 Hasunuma-Cho, Itabashi-Ku, Tokyo, Japan

Postal code 174-8585, Phone 81-3-3965-1388

**2. Hazards Identification****Pictograms of hazard symbol (referring to zinc oxide)****Hazard statement(s):** Very toxic to aquatic life with long lasting effects**Precautionary statement(s):**

Avoid release to the environment.

Dispose of contents/ container to an approved waste disposal plant.

**3. Composition / Information on Ingredients**

(% chemical components by WT)

Zinc oxide	70
Rosin	28
Zinc acetate	1
Pigment	1

**4. First Aid Measures**

(Referring to zinc oxide)

**4.1 Description of first aid measures****General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

**If inhaled**

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact**

Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact**

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed**

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

**5. Fire Fighting Measures**

(Referring to zinc oxide)

**5.1 Extinguishing media**

Suitable extinguishing media

SDS No.11-2-031-(1)-E, Eugenol Cement Powder

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## **5.2 Special hazards arising from the substance or mixture**

Zinc/zinc oxides

## **5.3 Advice for firefighters**

Wear self contained breathing apparatus for firefighting if necessary.

## **6. Accidental Release Measures**

(Referring to zinc oxide)

### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

### **6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **6.3 Methods and materials for containment and cleaning up**

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### **6.4 Reference to other sections**

For disposal see section 13.

## **7. Handling and Storage**

(Referring to zinc oxide)

### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### **7.2 Conditions for safe storage, including any incompatibilities**

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

### **7.3 Specific end use(s)**

A part from the uses mentioned in section 1.2 no other specific uses are stipulated

## **8. Exposure Controls, Personal Protection**

(Referring to zinc oxide)

### **Appropriate engineering controls**

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### **Personal protective equipment Eye/face protection**

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### **Body Protection**

Impervious clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator. For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges.

Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge

SDS No.11-2-031-(1)-E, Eugenol Cement Powder

into the environment must be avoided.

## 9. Physical and Chemical Properties

**Appearance:** White powder.

**Odor:** Odorless

**Boiling Point:** No data

**Vapor Pressure:** Not determined.

**Vapor Density:** Not determined.

**Solubility in Water:** Not soluble.

**Specific Gravity:** No data

**Freezing Point:** No data

**pH:** No data

**Volatile:** Not applicable.

## 10. Stability and Reactivity

**Stability:** Stable

**Incompatibility:** Non

**Hazardous Decomposition Products:** No dangerous decomposition products known.

**Hazardous Polymerization:** No dangerous polymerization known.

## 11. Toxicological Information

(Referring to zinc oxide)

### Acute toxicity

LD50 Oral - mouse - 7.950 mg/kg

LC50 Inhalation - mouse - 2.500 mg/m<sup>3</sup>

### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation - 24 h

### Serious eye damage/eye irritation

Eyes - rabbit

Result: Mild eye irritation - 24 h

Eyes - rabbit

Result: Mild eye irritation - 24 h

## 12. Ecological Information

(Referring to zinc oxide)

Toxicity to fish: LC50 - *Oncorhynchus mykiss* (rainbow trout) - 1,1 mg/l - 96,0 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 - *Daphnia magna* (Water flea) - 0,098 mg/l - 48 h

## 13. Disposal Considerations

(Referring to zinc oxide)

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### Contaminated packaging

Dispose of as unused product.

## 14. Transport Information

(Referring to zinc oxide)

### 14.1 UN number

ADR/RID: 3077 IMDG: 3077 IATA: 3077

### 14.2 UN proper shipping name

ADR/RID: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)

IATA: Environmentally hazardous substance, solid, n.o.s. (Zinc oxide)

SDS No.11-2-031-(1)-E, Eugenol Cement Powder

**14.3 Transport hazard class(es)**

ADR/RID: 9 IMDG: 9 IATA: 9

**14.4 Packaging group**

ADR/RID: III IMDG: III IATA: III

**14.5 Environmental hazards**

ADR/RID: yes IMDG Marine pollutant: yes IATA: yes

**15. Regulatory Information**

(Referring to zinc oxide)

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

no data available

**15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

**16. Other Information**

No specific notes available.

The information herein is given in good faith, but no warranty expressed or implied, is made.