



Natural beauty restored in one appointment





Natural beauty restored in one appointment

Initial LiSi Block: new lithium disilicate block for one appointment dentistry

Initial LiSi Block is a **fully crystallized lithium disilicate block** that delivers optimal physical properties without firing. This unique block features GC's proprietary **HDM** (High Density Micronization) **technology for CAD/CAM dentistry** to deliver high wear resistance, smooth margins and aesthetic final results. This makes it an ideal, time saving solution for single visit chairside treatments.



- Save time, as no firing is required
- Fully crystallized lithium disilicate
- Durable aesthetic & accurate margins
- Natural opalescence

Just Mill, Polish and Place

Initial LiSi Block can dramatically reduce process time: no need to fire, glaze, characterize and cool. This saves up to 40% in the time* required to create your restorations, also reducing the chair time for you and your patient. You just need to mill, polish and place!


«Even if I love to characterize Initial LiSi Block, it is perfect to polish with only a few handles and in max 5 minutes. Therefore, it's a real & quick chairside solution.»

Dr. Andreas Kurbad, Germany

«Polishing Initial LiSi Block is easy and can be done in less than 2 minutes, with a high-quality final surface finish and aesthetic appearance. The time saving compared to a glaze firing is particularly interesting.»

Dr. Christian Moussally, France

Durable aesthetics and smooth margins



- Optimized acid and wear resistance to help preserve the aesthetics of your restorations over time.
- Excellent edge stability for smooth margins.

More accurate margins

Being fully crystallized before milling, Initial LiSi Block can be milled with **smooth and accurate margins directly**. Alternatively, it can be fired after staining and maintain great marginal accuracy.


Initial LiSi Block

(Polished)

Initial LiSi Block

indirect light.

(Stain & glaze fired)



Source: GC R&D, Japan, Data on file

Natural opalescence

Initial LiSi Block is available in high translucency (HT) and low translucency (LT) and offers a natural opalescence in any light.

Choose your preferred finishing procedure

Superior gloss can be obtained in few minutes by polishing only, and the restoration is then ready for luting. For sophisticated aesthetic cases, remarkable results can be achieved with GC Initial Lustre Pastes ONE and Initial Spectrum Stains.**

** Higher temperature than the firing instruction may result in a change of the color of your restoration (higher value).




Initial LiSi Block restoration under direct and

e.max CAD


IPS

Preparation guidelines



Inlays / Onlays

- Cavity wall angle: 6° with long axis
- Shoulder preparation



Full crowns

- Wall angle: 6~10°taper
- Deep chamfer or round chamfer preparation

Cement recommendation

Adhesive luting is recommended for Initial LiSi Block. Both G-CEM ONE and G-CEM LinkForce from GC can be used for any type of indications using Initial LiSi Block.



Function meets aesthetics

«I'm totally excited about the natural opalescence and color matching of the HT version of Initial LiSi Block.»

MDT Christian Hannker, Germany

«I love the opalescence of Initial LiSi Block and as a consequence thereof the color stability and perfect matching.»



Dr. Christian Lampson, Germany



Courtesy of MDT Christian Hannker & Dr. Christian Lampson, Germany







Courtesy of MDT Marco Muttone, Dr. Alessandro Iorio, Italy

HDM technology for CAD/CAM dentistry



In 2016, with Initial LiSi Press, GC introduced HDM (High Density Micronization) technology, which uses equally dispersed lithium disilicate microcrystals to fill the entire glass matrix rather than using traditional larger size crystals. The clinical effectiveness of this technology has been proven after 5 years of clinical service¹⁾.

500

400

300

200

100

To bring fast solutions for one appointment dentistry, GC has further developed HDM technology for CAD/

CAM dentistry by optimizing the crystal size and glass matrix stiffness. Thanks to this new technology, good machinability, marginal integrity, polishability, and wear resistance are achieved at the same time. The result is a strong and easy-to-mill block that offers the same strength with or without firing.

Conventional lithium disilicate (IPS e.max CAD)



HDM technology for CAD/CAM

(Initial LiSi Block)

Source: GC R&D, Japan, Data on file

Initial LiSi

Block

(Polished)

Initial LiSi


Block

(Stain & glaze fired)

Improved glass matrix stiffness for high mechanical strength

Biaxial flexural strength (MPa)

Smaller crystal for easy milling and high wear resistance



Source: GC R&D, Japan, Data on file

Workflow

(Courtesy of Prof. Matteo Basso, Italy)



Prepare





Design



Mill



Polish or characterize





Condition

Cement

Final result



Ordering information



Ref. 0139F2270010	Shade A1 HT	Initial LiSi Block CEREC mandrel, size 14	Shade range					
0139F2270020 0139F2270030 10037291 0139F2270040	A2 HT A3 HT A3.5 HT B1 HT	SC Intal LISE Block	HT	A1HT	A2HT	АЗНТ	A3.5HT	B1HT
0139F2270050 0139F2270060 0139F2270070 10037292 0139F2270080	A1 LT A2 LT A3 LT A3.5 LT B1 LT		LT Bleach	A1LT	A2LT	A3LT	A3.5LT	B1LT
10037293	BL			BL				

1) Cagidiaco EF, Sorrentino R, Pontoriero D, Ferrari M. 2020. A randomized controlled clinical trial on two types of lithium disilicate partial crowns. Am J Dent. 33(6):291-295.

Related products



G-Multi PRIMER

Universal Primer



G-CEM ONE Self-adhesive resin cement



Initial IQ Lustre Pastes ONE 3-dimensional paintable ceramic

GC ASIA DENTAL PTE LTD

5 Tampines Central 1, Tampines Plaza 2, #06-01 Singapore 529541 Tel. +65 6546 7588 gcasia@gc.dental https://sea.gcasiadental.com